

# Maxum Deadbolts

FEATURES	Medeco <sup>3</sup>	BiLevel	Medeco X4	Logic
UL Listed for use on fire doors having a rating up to three hours	●	●	●	●
ANSI/BHMA 156.36 Grade 1 Certification for auxiliary locks and associated products	●			
ANSI/BHMA A156.30 Level A Certification on the cylinder assures patent protected key control and physical strength	●			
Can be incorporated into existing master key systems	●	●	●	
Security features to protect against drill, wrench, ice pick, kick-in, hammer, bumping and prying attacks	●	●		
Solid brass construction provides high quality and long cylinder life	●	●	●	
Deadbolt is designed to accommodate both mortise and drive-in face applications for greater flexibility and ease of installation.	●	●	●	
Large thumbturn provides ease of use for physically challenged individuals	●	●	●	
Keys may be integrated with Hybrid proximity head for greater system retrofit.	●	●	●	
Double cylinder captive thumbturn safety option available	●	●		

## Medeco<sup>3</sup> Premium High Security

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, Medeco<sup>3</sup> cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with both a sidebar and a slider, and additional pick resistant features make Medeco<sup>3</sup> the cylinder of choice to protect people, property and information.

## Medeco X4 Patented Key Control

Medeco X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

## Medeco<sup>3</sup> BiLevel Patented Key Control

Medeco<sup>3</sup> BiLevel cylinders may be incorporated into a master key system with Medeco<sup>3</sup> high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

## Loss & Liability Control

Many of the cylinders in this section are also available with an eCylinder Loss & Liability Control Solution. See the eCylinder Section for more details.

# Medeco Maxum® Deadbolts

Deadbolts are about strength. Just hold a Medeco® ANSI Grade 1 Maxum® deadbolt in your hand, and you know this is one tough hunk of protection. As tough as a Maxum® deadbolt is on the outside, it's that smart on the inside. It can be ordered with the triple-locking security of a Medeco<sup>3</sup>cylinder. Recommended for residential and business use, it's available as a single- or double-cylinder or with a unique "captive thumbturn."

The captive thumbturn converts the inside cylinder to a thumbturn for safe exit when the facility is occupied. A quick conversion when the facility is not occupied returns it to double cylinder mode and guards against unauthorized entry or exit. Maxum® deadbolts offer maximum protection with solid-brass construction, along with anti-drilling and anti-prying features.



## Benefits:

- Unique "captive thumbturn"
- Bolt is designed for easy conversion accommodating either mortise and drive-in applications
- Solid-brass construction with steel inserts for added protection
- ANSI/BHMA A156.36 Grade 1 and UL437 Listed cylinders for high security
- Fits doors 1 3/8" to 2 1/2" thick
- Standard 2 1/8" crossbore and 1" edge bore (ANSI A115.13 prep)

## Warranty:

Lifetime warranty against defects in material and workmanship.

## Finishes:

Available in all standard finishes to match existing hardware.

## Applications:

It is the ideal choice for a wide variety of commercial and heavy duty residential applications where consistent quality, ease of use and installation are required. Ideal applications include:

- Office buildings
- Hospitals
- Schools
- Restaurants
- Apartments
- Retail outlets

## Technical Information:

SFIC cylinder options include Medeco X4 and Nexgen XT

## Available Key Technologies:

### Mechanical:

- Medeco<sup>3</sup>
- Medeco<sup>3</sup> BiLevel
- Medeco X4

### eCylinder:

- Medeco<sup>3</sup> Logic
- Medeco Logic

## How to Order:

1

**11 T C601**  
base part #

Refer to pages 125-138 for descriptions and technical specifications to find the corresponding base part number.

2

**– 05 –**  
finish

Refer to the inside back cover of this catalog for finish options. Include the corresponding two digit finish number.

Upcharge for split finish.

3

**LT –**  
keyway

Insert keyway if known or contact CS for help.

4

**S –**  
pinning

S = Sub-assembled (Uncombined)  
No additional information needed


P = Pinned (Combined)  
Keyed alike (KA)  
Keyed different (KD)

2 keys per cylinder

Captive Deadbolt  
1 change key and  
1 thumbturn key

M = Master Keyed  
Provide specific pinning or contact Customer Service for support  
Must specify quantity for keys.

## BUILD A MAXUM DEADBOLT BASE PART#



\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P) refers to Pinned and (S) to Sub-Pinned at the end of each part string in the price book.**

## Single Cylinder Maxum® Deadbolt- Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
Maxum® Deadbolt Lock, Blank Plate Outside with Inside Thumbturn, 1 1/8" Faceplate†, 2 3/8" Backset	11*C281				
Maxum® Deadbolt Lock, Blank Plate Outside with Inside Thumbturn, 1 1/8" Faceplate†, 2 3/4" Backset	11*C282				
Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/8" Backset	11*C601 (P) 11*C601 (S)				●
Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/4" Backset	11*C602 (P) 11*C602 (S)				●
Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/8" Backset	11*C603 (P) 11*C603 (S)				●
Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/4" Backset	11*C604 (P) 11*C604 (S)				●
Single Cylinder Maxum® Deadbolt Lock, Drive In Front, 2 3/8" Backset	11*C605 (P) 11*C605 (S)				
Single Cylinder Maxum® Deadbolt Lock, Drive In Front, 2 3/4" Backset	11*C606 (P) 11*C606 (S)				●
Single Cylinder Maxum® Deadbolt Lock, Less Bolt	11*C60L (P) 11*C60L (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 2 3/8" Backset	11*C611 (P) 11*C611 (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive In, 2 3/8" Backset	11*C615 (P) 11*C615 (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive In, 2 3/4" Backset	11*C616 (P) 11*C616 (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Less Bolt	11*C61L (P) 11*C61L (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 2 3/4" Backset	11*C612 (P) 11*C612 (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, 2 3/8" Backset	11*C613 (P) 11*C613 (S)				
Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, 2 3/4" Backset	11*C614 (P) 11*C614 (S)				
Single Cylinder Maxum® Deadbolt Lock with Blank Plate Inside, 1 1/8" Faceplate, 2 3/8" Backset	11*C641 (P) 11*C641 (S)				
Single Cylinder Maxum® Deadbolt Lock with Blank Plate Inside, 1 1/8" Faceplate, 2 3/4" Backset	11*C642 (P) 11*C642 (S)				
Single Cylinder Maxum® Deadbolt Lock, with Blank Plate Outside, 1 1/8" Faceplate*, 2 3/8" Backset	11*C691 (P) 11*C691 (S)				
Single Cylinder Maxum® Deadbolt Lock, with Blank Plate Outside, 1 1/8" Faceplate, 2 3/4" Backset	11*C692 (P) 11*C692 (S)				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

## LFIC Single Cylinder Maxum® - Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
LFIC Single Cylinder Maxum® Deadbolt Lock, Less Bolt	11*C30L (P) 11*C30L (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/8" Backset	11*C301 (P) 11*C301 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/4" Backset	11*C302 (P) 11*C302 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/8" Backset	11*C303 (P) 11*C303 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/4" Backset	11*C304 (P) 11*C304 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/8" Backset	11*C305 (P) 11*C305 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/4" Backset	11*C306 (P) 11*C306 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, 1 1/8" Faceplate, 2 3/8" Backset	11*C311 (P) 11*C311 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, 1 1/8" Faceplate, 2 3/4" Backset	11*C312 (P) 11*C312 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, 1" Faceplate, 2 3/8" Backset	11*C313 (P) 11*C313 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, 1" Faceplate, 2 3/4" Backset	11*C314 (P) 11*C314 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, Drive-In Front, 2 3/8" Backset	11*C315 (P) 11*C315 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, Drive-In Front, 2 3/4" Backset	11*C316 (P) 11*C316 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock Classroom Function, Less Bolt	11*C31L (P) 11*C31L (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 2 3/8" Backset	11*C341 (P) 11*C341 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 2 3/4" Backset	11*C342 (P) 11*C342 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate *, 2 3/8" Backset	11*C391 (P) 11*C391 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate *, 2 3/4" Backset	11*C392 (P) 11*C392 (S)				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/8" Backset	11-C401				
LFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/4" Backset	11-C402				
LFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/8" Backset	11-C405				
LFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/4" Backset	11-C406				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

## SFIC Single Cylinder Maxum® - Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/8" Backset	11*C701				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/4" Backset	11*C702				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, Less Core, 2 3/8" Backset	11*C703				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, Less Core, 2 3/4" Backset	11*C704				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/8" Backset	11*C705				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/4" Backset	11*C706				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, Less Core, 2 3/8" Backset	11*C711				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, Less Core, 2 3/4" Backset	11*C712				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, Less Core, 2 3/8" Backset	11*C713				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, Less Core, 2 3/4" Backset	11*C714				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, Less Core, 2 3/8" Backset	11-C715				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, Less Core, 2 3/4" Backset	11*C716				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, 2 3/8" Backset	11*C801 (P) 11*C801 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, 2 3/4" Backset	11*C802 (P) 11*C802 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 6 Pin SFIC Cylinder, 2 3/8" Backset	11*C803 (P) 11*C803 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 6 Pin SFIC Cylinder, 2 3/4" Backset	11*C804 (P) 11*C804 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 6 Pin SFIC Cylinder, 2 3/8" Backset	11*C805 (P) 11*C805 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 6 Pin SFIC Cylinder, 2 3/4" Backset	11*C806 (P) 11*C806 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Funct., 1 1/8" Faceplate, 6 Pin SFIC Cyl. 2 3/8" Backset	11*C811 (P) 11*C811 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Funct., 1 1/8" Faceplate, 6 Pin SFIC Cyl. 2 3/4" Backset	11*C812 (P) 11*C812 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Funct., 1" Faceplate, 6 Pin SFIC Cyl. 2 3/8" Backset	11*C813 (P) 11*C813 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Funct., 1" Faceplate, 6 Pin SFIC Cyl. 2 3/4" Backset	11*C814 (P) 11*C814 (S)				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

## SFIC Single Cylinder Maxum® - Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, 6 Pin SFIC Cylinder, 2 3/8" Backset	11*C815 (P) 11*C815 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, 6 Pin SFIC Cylinder, 2 3/4" Backset	11*C816 (P) 11*C816 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, 2 3/8" Backset	11*C841 (P) 11*C841 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, 2 3/4" Backset	11*C842 (P) 11*C842 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder *, 2 3/8" Backset	11*C891 (P) 11*C891 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder *, 2 3/4" Backset	11*C892 (P) 11*C892 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C901 (P) 11*C901 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C902 (P) 11*C902 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C903 (P) 11*C903 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C904 (P) 11*C904 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C905 (P) 11*C905 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Drive-In Front, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C906 (P) 11*C906 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C911 (P) 11*C911 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C912 (P) 11*C912 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C913 (P) 11*C913 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, 1" Faceplate, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C914 (P) 11*C914 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C915 (P) 11*C915 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Classroom Function, Drive-In Front, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C916 (P) 11*C916 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/8" Backset	11*C941 (P) 11*C941 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, 2 3/4" Backset	11*C942 (P) 11*C942 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate, 7 Pin SFIC Cylinder *, 2 3/8" Backset	11*C991 (P) 11*C991 (S)				
SFIC Single Cylinder Maxum® Deadbolt Lock, Blank Outside, 1 1/8" Faceplate, 7 Pin SFIC Cylinder *, 2 3/4" Backset	11*C992 (P) 11*C992 (S)				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.



**Double Cylinder Maxum® Deadbolt - Commercial Trim**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/8" Backset	11*C621 (P) 11*C621 (S)				
Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/4" Backset	11*C622 (P) 11*C622 (S)				
Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/8" Backset	11*C623 (P) 11*C623 (S)				
Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/4" Backset	11*C624 (P) 11*C624 (S)				
Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/8" Backset	11*C625 (P) 11*C625 (S)				
Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/4" Backset	11*C626 (P) 11*C626 (S)				
Double Cylinder Maxum® Deadbolt Lock, Less Bolt	11*C62L (P) 11*C62L (S)				

**Double Cylinder Captive Thumbturn Maxum® - Commercial Trim**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
Captive Double Cylinder Maxum® Deadbolt Lock, Less Bolt, 1 3/4" - 2" door	11*C63L (P) 11*C63L (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 1 3/4" - 2" door, 2 3/8" Backset	11*C631 (P) 11*C631 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 1/4" - 2 1/2" door, 2 3/8" Backset	11*C631T (P) 11*C631T (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 1 3/4" - 2" door, 2 3/4" Backset	11*C632 (P) 11*C632 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 1/4" - 2 1/2" door, 2 3/4" Backset	11*C632T (P) 11*C632T (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 1 3/4" - 2" door, 2 3/8" Backset	11*C633 (P) 11*C633 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 1/4" - 2 1/2" door, 2 3/8" Backset	11*C633 (P) 11*C633 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 1 3/4" - 2" door	11*C634 (P) 11*C634 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 1/4" - 2 1/2" door, 2 3/4" Backset	11*C634T (P) 11*C634T (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 1 3/4" - 2" door, 2 3/8" Backset	11*C635 (P) 11*C635 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 1/4" - 2 1/2" door, 2 3/8" Backset	11*C635T (P) 11*C635T (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 1 3/4" - 2" door, 2 3/4" Backset	11*C636 (P) 11*C636 (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 1/4" - 2 1/2" door, 2 3/4" Backset	11*C636T (P) 11*C636T (S)				
Captive Double Cylinder Maxum® Deadbolt Lock, Less Bolt, 2 1/4" - 2 1/2" door	11*C63LT (P) 11*C63LT (S)				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = BiAxial, V = Medeco BiAxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.



## LFIC Single Cylinder Maxum® - Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
LFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/8" Backset	11*C323 (P) 11*C323 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, Less Bolt	11*C32L (P) 11*C32L (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 2 3/4" Backset	11*C324 (P) 11*C324 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/8" Backset	11*C321 (P) 11*C321 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 2 3/4" Backset	11*C322 (P) 11*C322 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/8" Backset	11*C325 (P) 11*C325 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 2 3/4" Backset	11*C326 (P) 11*C326 (S)				
LFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/8" Backset	11-C421				
LFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/4" Backset	11-C422				
LFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/8" Backset	11-C425				
LFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/4" Backset	11-C426				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

## SFIC Double Cylinder Maxum® - Commercial Trim

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/8" Backset	11*C721				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, Less Core, 2 3/4" Backset	11*C722				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, Less Core, 2 3/8" Backset	11*C723				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, Less Core, 2 3/4" Backset	11*C724				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/8" Backset	11*C725				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, Less Core, 2 3/4" Backset	11*C726				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 6 Pin Cylinder, 2 3/8" Backset	11*C821 (P) 11*C821 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 6 Pin Cylinder, 2 3/4" Backset	11*C822 (P) 11*C822 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 6 Pin Cylinder, 2 3/8" Backset	11*C823 (P) 11*C823 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 6 Pin Cylinder	11*C824 (P) 11*C824 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 6 Pin Cylinder, 2 3/8" Backset	11*C825 (P) 11*C825 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 6 Pin Cylinder, 2 3/4" Backset	11*C826 (P) 11*C826 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 7 Pin Cylinder, 2 3/8" Backset	11*C921 (P) 11*C921 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1 1/8" Faceplate, 7 Pin Cylinder, 2 3/4" Backset	11*C922 (P) 11*C922 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 7 Pin Cylinder, 2 3/8" Backset	11*C923 (P) 11*C923 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, 1" Faceplate, 7 Pin Cylinder, 2 3/4" Backset	11*C924 (P) 11*C924 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 7 Pin Cylinder, 2 3/8" Backset	11*C925 (P) 11*C925 (S)				
SFIC Double Cylinder Maxum® Deadbolt Lock, Drive-In Front, 7 Pin Cylinder, 2 3/4" Backset	11*C926 (P) 11*C926 (S)				

## Interchangeable Core Cylinders for Maxum® Deadbolts

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
6 pin LFIC Cylinder	32*0201 (P) 32*0201 (S)				
6 Pin SFIC Cylinder Medeco KM	33*600006 (P) 33*600006 (S)				
7 Pin SFIC Cylinder Medeco KM	33*700006 (P) 33*700006 (S)				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

**Maxum Deadbolt Cylinder Assemblies**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
6 Pin Outside Cylinder Assembly for Maxum® Deadbolt Lock	11*0A04 (P) 11*0A04 (S)				
6 Pin Inside Cylinder Assembly for Maxum® Deadbolt Lock	11*0A05 (P) 11*0A05 (S)				
LFIC Outside Cylinder Assembly for Maxum® Deadbolt Lock	11*0A08 (P) 11*0A08 (S)				
LFIC Inside Cylinder Assembly for Maxum® Deadbolt Lock	11*0A09 (P) 11*0A09 (S)				
6 Pin Outside Captive Cylinder	11*0A06				
6 Pin Inside Captive Cylinder	11*0A07				

**Cylinder Housing & Plugs for Maxum® Deadbolt**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
LFIC Outside Cylinder Housing for Maxum® Deadbolt Lock	11-0A08L				
LFIC Inside Cylinder Housing for Maxum® Deadbolt Lock	11-0A09L				
6 Pin Plug for Maxum Deadbolt (except Inside Captive Thumbturn)	12-0280X-XX				
6 Pin Plug for Maxum Deadbolt Inside Captive Thumbturn	12-0290X-XX				

**Bolt Assemblies for Maxum® Deadbolt**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
2 3/8" Maxum® Bolt 1" X 2 1/4" Faceplate	11-0A1911				
2 3/8" Maxum® Bolt 1 1/8" X 2 1/4" Faceplate	11-0A1912				
2 3/8" Maxum® Drive-in Bolt (Available in 26 finish only)	11-0A1913				
2 3/4" Maxum® Bolt 1" X 2 1/4" Faceplate	11-0A1921				
2 3/4" Maxum® Bolt 1 1/8" X 2 1/4" Faceplate	11-0A1922				
2 3/4" Maxum® Drive-in Bolt (Available in 26 finish only)	11-0A1923				
5 Pack Round Front Assembly For Maxum® Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020)	94-0058				
Round Front Assembly For Maxum® Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020)	94-0059				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = BiAxial, V = Medeco BiAxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

## Maxum Deadbolt Components

Description	Part Number
6 Pin Length Deadbolt Lock Outside Dummy Cylinder	11-0A16-XX
Residential Blank Inside Plate Assembly for Maxum® Deadbolt Lock	11-0A17-XX
5 Pin Length Deadbolt Lock Outside Dummy Cylinder	11-0A18-XX
Commercial Blank Inside Plate Assembly for Maxum® Deadbolt Lock	11-0A14-XX
Residential Style Thumbturn To Fit On Captive Thumbturn Key (Original/Biaxial)	11-0A20-XX
Residential Style Thumbturn To Fit On Captive Thumbturn Key (Medeco <sup>3</sup> )	11-0A21-XX
Commercial Thumbturn and Base Plate Assembly	11-0A12-XX
Commercial Style Thumbturn To Fit On Captive Thumbturn Key (Medeco <sup>3</sup> )	11-0018-XX
Commercial Thumbturn & set screw	11-0A22-XX
Residential Thumbturn & set screw	11-0A23-XX
Residential Thumbturn and Base Plate Assembly	11-0A10-XX
Commercial Style Thumbturn To Fit On Captive Thumbturn Key (Original/Biaxial)	11-0092-XX
Thumbturn Trim Plate Package for Maxum® Deadbolt Lock	94-0210-XX
Inside Cylinder Trim Plate Package for Commercial Maxum® I/C Deadbolt Lock (includes CP-021090 & CP-180141)	94-0030-XX
Spacer Rings for 1 3/8" Door for Maxum® Deadbolt Lock (Package of 2)	94-0212-XX
Inside Cylinder Trim Plate Package for Maxum® Double Cylinder Deadbolt Lock (Includes CP-021090 & CP-180131)	94-0029-XX
#8 x 2" FHWS Strike Box mounting screws	CP-010234-320
#8 x 3/4" comb. Wood/Machine S Bolt & Strike mounting screws	CP-010235-120-XX
Screw Package for 5 Pin Single Cylinder Maxum® Deadbolt Lock	CP-011762
Screw Package for 6 Pin Single Cylinder Maxum® Deadbolt Lock	CP-011762
Screw Package for 5 Pin Double Cylinder Maxum® Deadbolt Lock	CP-011763
Screw Package for 6 Pin Double Cylinder Maxum® Deadbolt Lock	CP-011764
Screw Package for Blank x Thumbturn Maxum® Deadbolt Lock	CP-011751
Screw Package for Blank x Cylinder Maxum® Deadbolt Lock	CP-011767
Screw Package for Blank x Thumbturn Maxum® Deadbolt Lock for 2 1/4" - 2 1/2" thick door	CP-011753
Screw Package for Blank x Cylinder Maxum® Deadbolt Lock for 2 1/4" - 2 1/2" thick door	CP-011754
Screw Package for 6 Pin Classroom Function Maxum® Deadbolt Lock	CP-011757
Collar for Maxum® Residential Style Deadbolt Lock 5 Pin	CP-070691
Collar for Maxum® Residential Style Deadbolt Lock 6 Pin	CP-070701

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
 T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
 "-" = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

**Maxum® Deadbolt Components**

Description	Part Number
Collar for Maxum® Commercial Style Deadbolt Lock (Inside & Outside)	CP-070711-XX
Collar for Maxum® Residential Style Deadbolt Lock Thick Door Captive Thumbturn 5 Pin	CP-070721-XX
Collar for Maxum® Residential Style Deadbolt Lock Thick Door Captive Thumbturn 6 Pin	CP-070731-XX
Collar for Maxum® Commercial Style Deadbolt Lock Thick Door Captive Thumbturn	CP-070741-XX
Strike for Maxum® Deadbolt Lock	CP-180061-XX
Ball bearings (Allen head of mounting screws) .191" diameter silver	CP-250010
Ball bearings (tip of mounting screws) .202" diameter black	CP-250020
Strike Reinforcement Strike Box for Maxum® Deadbolt Lock	CP-280620
Keyblank for Captive Thumbturn Key for Maxum® Deadbolt 6 Pin Varies by Key Section (factory will supply correct part number)	KY-XX6605-XX


**Maxum® Deadbolt Tailpieces**

Description	Part Number
Thumbturn Tailpiece for Maxum® Deadbolt lock for 1 3/4" - 2 1/2" thick door	CT-F42
Thumbturn Tailpiece for Classroom Function Maxum® Deadbolt lock, 1 3/4" - 2" thick doors	CT-F43
Thumbturn Tailpiece for Classroom Function Maxum® Deadbolt lock for doors 2 1/4" - 2 1/2" thick	CT-F44
Tailpiece for Maxum® Deadbolt lock, outside cylinder, .532" length, for doors up to 1 3/4" thick	CT-Y60
Tailpiece for Maxum® Deadbolt outside cylinder, 1.430" length for doors over 1 3/4" thick	CT-Y61

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.

# Medeco Maxum® Residential Deadbolt

Deadbolts are about strength. Just hold a Medeco® ANSI Grade 1 Maxum® deadbolt in your hand, and you know this is one tough hunk of protection. As tough as a Maxum® deadbolt is on the outside, it's that smart on the inside. It features the triple-locking security of a Medeco<sup>3</sup> cylinder. Designed with a residential aesthetic, the Maxum® Residential Deadbolt is available as a single- or double-cylinder or with a unique "captive thumbturn." The captive thumbturn converts the inside cylinder to a thumbturn for safe exit when the facility is occupied. A quick conversion when the facility is not occupied returns it to double cylinder mode and guards against unauthorized entry or exit. Maxum® deadbolts offer maximum protection with solid-brass construction, along with anti-drilling and anti-prying features.



## Benefits:

- Unique "captive thumbturn" available
- Bolt is designed for easy conversion accommodating either mortise and drive-in applications
- Solid-brass construction with steel inserts for added protection
- ANSI/BHMA A156.30 and UL437 Listed cylinders for high security
- Fits doors 1 3/8" to 2 1/2" thick
- Standard 2 1/8" crossbore and 1" edge bore (ANSI A115.13 prep)

## Warranty:

Lifetime warranty against defects in material and workmanship

## Finishes:

Available in all standard finishes to match existing hardware

## Applications:

It is the ideal choice for a wide variety of commercial and heavy duty residential applications where consistent quality, ease of use and installation are required. Ideal applications include:

- Apartments
- Retail outlets
- Residences
- Multi-family Units

## Technical Information:

SFIC cylinder options include Medeco X4 and Nexgen XT

## Available Key Technologies:

### Mechanical:

- Medeco<sup>3</sup>
- Medeco<sup>3</sup> BiLevel
- Medeco X4

### eCylinder:

- Medeco<sup>3</sup> Logic
- Medeco Logic

**Single Cylinder Maxum® Deadbolt - Residential Trim**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
5 Pin Single Cylinder Deadbolt, 1" Faceplate, 2-3/8" Backset	11*R503 (P) 11*R503 (S)				
5 Pin Single Cylinder Deadbolt, 1" Faceplate, 2-3/4" Backset	11*R504 (P) 11*R504 (S)				
6 Pin Single Cylinder Deadbolt, 1" Faceplate, 2-3/8" Backset	11*R603 (P) 11*R603 (S)				●
6 Pin Single Cylinder Deadbolt, 1" Faceplate, 2-3/4" Backset	11*R604 (P) 11*R604 (S)				●
Single Dummy Trim Deadbolt (5 Pin Length)	11-R57L				
Single Dummy Trim Deadbolt (6 Pin Length)	11-R67L				

**Double Cylinder Maxum® Deadbolt - Residential Trim**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
5 Pin Double Cylinder Deadbolt 1" Faceplate, 2 3/8" Backset	11*R523 (P) 11*R523 (S)				
5 Pin Double Cylinder Deadbolt 1" Faceplate, 2 3/4" Backset	11*R524 (P) 11*R524 (S)				
6 Pin Double Cylinder Deadbolt, 1" Faceplate, 2 3/8" Backset	11*R623 (P) 11*R623 (S)				
6 Pin Double Cylinder Deadbolt, 1" Faceplate, 2 3/4" Backset	11*R624 (P) 11*R624 (S)				
Double Dummy Trim Deadbolt (5 Pin Length)	11-R5DL				
Double Dummy Trim Deadbolt (6 Pin Length)	11-R6DL				

**Double Cyl. Captive Thumbturn Maxum®-Residential Trim**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
5 Pin Captive Thumbturn Double Cylinder Deadbolt, 2 3/8" Backset	11*R533 (P) 11*R533 (S)				
5 Pin Captive Thumbturn Double Cylinder Deadbolt, 2 3/4" Backset	11*R534 (P) 11*R534 (S)				
6 Pin Captive Thumbturn Double Cylinder Deadbolt, 1" Faceplate, 2 3/8" Backset	11*R633 (P) 11*R633 (S)				
6 Pin Captive Thumbturn Double Cylinder Deadbolt, 1" Faceplate, 2 3/4" Backset	11*R634 (P) 11*R634 (S)				

**Cylinder Plugs for Maxum®-Residential Deadbolts**

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
6 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn)	12-0280XX				
6 pin plug for Maxum Residential Deadbolt inside captive thumbturn	12-0290XX				
5 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn)	12-3620XX				
5 pin plug for Maxum Residential Deadbolt inside captive thumbturn	12-4340XX				

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.



# 14 Series Deadbolts

The Medeco® 14 Series is a Grade 2 commercial deadbolt that provides an outstanding combination of cylinder options, performance and value. It is the ideal choice for a wide variety of commercial and heavy duty residential applications where consistent quality, ease of use and installation are required. Ideal applications include: office buildings, hospitals, schools, restaurants, apartments and retail outlets. The Medeco® 14 Series can be used in conjunction with either Medeco<sup>3</sup>, BiLevel, or Medeco X4 Key Control cylinders as well as Medeco® eCylinders. When offered alongside the Medeco® Maxum deadbolt, it provides end users a choice to select from these options of smart deadbolt solutions.



## Benefits:

- One inch throw bolt with hardened steel free spinning steel pin insert resists sawing
- Bolt mechanism designed to adjust for both 2 3/8 inch or 2 3/4 inch backset, with 2 3/4 inch fixed backset also available, which provides greater flexibility and ease of installation
- Free turning outer ring on collar resist wrenching attacks
- Utility patented key control, (for cylinders that incorporate the Medeco<sup>3</sup> design), provides protection against the unauthorized duplication of keys
- Medeco<sup>3</sup> cylinders include special elevating and rotating pin tumbler design, along with false slots on the bottom pins, mushroom top pins and a sidebar mechanism, work together, to provide superior pick resistance
- Medeco<sup>3</sup> cylinders also include angled cuts on the keys, along with fore and aft positioning, in the Medeco<sup>3</sup> design, provide added dimensions that dramatically increases key combinations and enables Medeco® to produce some of the largest master key systems in the industry
- Medeco<sup>3</sup> cylinders include hardened steel inserts, positioned in critical areas of the cylinder, provide a high degree of drill resistance
- Medeco<sup>3</sup> cylinders UL437 listing provides assurance that cylinders meet universal standards for drill and pick resistance and resistance against other types of forced attack

## Applications:

It is the ideal choice for a wide variety of commercial and heavy duty residential applications where consistent quality, ease of use and installation are required. Ideal applications include:

- Office buildings
- Hospitals
- Schools
- Restaurants
- Apartments
- Retail outlets

## Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details

## Technical Information:

- SFIC cylinder options include Medeco X4 and Nexgen XT

## Available Key Technologies:

### Mechanical:

- Medeco<sup>3</sup>
- Medeco<sup>3</sup> BiLevel

## Single Cylinder Grade 2 Deadbolts

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
Single cylinder Gr. 2 deadbolt, adjustable backset	14*12110 (P)				●
	14*12110 (S)				
6 Pin SFIC Single Cylinder Gr. 2 Deadbolt, Adjustable Backset	14*13110 (P)				
	14*13110 (S)				
7 Pin SFIC Single Cylinder Gr. 2 Deadbolt, Adjustable Backset	14*14110 (P)				
	14*14110 (S)				
SFIC Single Cylinder Gr. 2 Deadbolt, Adjustable Backset, Less Core	14-15110				

Available in 05-Polished Brass, 09-Antique Brass, 13-Oil Rubbed Bronze, 19-Satin Steel, and 26-Satin Chrome Finish.

## Double Cylinder Grade 2 Deadbolts

Description	Part Number	Medeco <sup>3</sup>	BiLevel	Medeco X4	eCylinder
Double Cylinder Grade 2 Deadbolt, Adjustable Backset	14*12120 (P)				
	14*12120 (S)				
6 Pin SFIC Double Cylinder Gr. 2 Deadbolt, Adjustable Backset	14*13120 (P)				
	14*13120 (S)				
7 Pin SFIC Double Cylinder Gr. 2 Deadbolt, Adjustable Backset	14*14120 (P)				
	14*14120 (S)				
SFIC Double Cylinder Gr. 2 Deadbolt, Adjustable Backset, Less Core	14-15120				
Single Deadbolt Cylinder	20*00938 (P)				
	20*00938 (S)				
Double Deadbolt Cylinder	20*00956 (P)				
	20*00956 (S)				

Available in 05-Polished Brass, 09-Antique Brass, and 26-Satin Chrome Finish.

\*\*Refer to the eCylinder section for more detail on specific technologies available and pricing. The \* in the part number is replaced with:  
T = Medeco<sup>3</sup>, S = Medeco<sup>3</sup> Logic, J = Medeco<sup>3</sup> BiLevel, W = Biaxial, V = Medeco Biaxial Logic, K = Medeco KM, N = Medeco X4, C = Medeco Logic,  
“-” = Original, Z = Medeco Original KW Logic, G = Medeco XT \*\*\*See key section for surcharges for custom coined cut keys or special stamping requirements.  
**Note: (P)** refers to **Pinned** and **(S)** to **Sub-Pinned** at the end of each part string in the price book.